UNIQO 160 All-in-one IIFT automation

EASY. EFFICIENT. EXCEPTIONAL.



- Fully automated system for processing and evaluation of indirect immunofluorescence tests (IIFT) for up to 160 samples per run
- Brilliant fluorescence images due to the integrated high-quality microscope unit with automatic triple revolver
- Quick loading as well as correct assignment and traceability of samples, reagents and slides via barcode identification
- Excellent service from EUROIMMUN your partner for everything from test systems to instruments and software

Full automation from primary sample to result proposal

The UNIQO 160 is a top-quality all-in-one automated solution for IIFT diagnostics, providing maximum efficiency with minimum hands-on time.

After the patient samples and reagents have been loaded, the UNIQO 160 fully automatically processes the tests, from sample preparation to image acquisition, thus combining the functions of several automated IIFT systems in one compact benchtop device.

Sample organisation, data archiving and computer-assisted evaluation are performed in a structured and convenient manner using the EUROIMMUN middleware EUROLabOffice 4.0. Manual intermediate steps



All data at a glance with EUROLabOffice 4.0

EUROLabOffice 4.0 is the advanced control centre for your laboratory and is connected bidirectionally to the UNIQO 160. This allows you and your laboratory personnel to create worklists guickly and flexibly, even for changing analysis requests, and to store all information securely.

After the UNIQO 160 has completed IIFT processing, all data relevant for evaluation are displayed together in one window in the user interface. In addition, previous test results are visible at a glance in the patient history and stored data and archived images can be accessed directly with just one click.

2

Medizinische Labordiagnostika AG



Supporting IIFT evaluation with the EUROPattern Classifier

The EUROPattern Classifier is a software compatible with EUROLabOffice 4.0 that automatically generates a result proposal (including titer calculation) for a constantly growing number of substrates. Its deep convolutional neural networks, a process of artificial intelligence, were intensively trained during the development of the software. This enables the algorithm to classify fluorescence patterns reliably and quickly. All data obtained for the substrates and dilutions are consolidated into one result proposal for each patient.

ANA diagnostics

HEp-2/HEp-20-10 cells: Automatically generated pattern and titer proposals with confidence values for nine fluorescence patterns according to the ICAP* (homogeneous, speckled, dense fine-speckled, nucleolar, nuclear dots, centromeres, nuclear membrane, AMA and cytoplasmic) and any combinations thereof

*ICAP: International Consensus on Antinuclear Antibody (ANA) Patterns

• **Crithidia luciliae:** Automated positive/negative classification and titer proposals based on the specific kinetoplast fluorescence for the detection of anti-dsDNA antibodies

ANCA diagnostics

- Granulocytes: Automatically generated pattern and titer proposals with confidence values for the fluorescence patterns pANCA, cANCA and atypical ANCA
- HEp-2 cells + granulocytes (EOH): The combination BIOCHIP is used for the targeted differentiation
 of ANA and cytoplasmic antibodies (result is issued as ANA interference)

Diagnostics based on antigen-expressing cells

Nephrology: Automated positive/negative classification and titer proposal with confidence values for the antigens PLA2R and THSD7A

Diagnostics of autoimmune liver diseases

- Liver (rat): Automated positive/negative classification for relevant ANA and identification of anti-LKM-like patterns ("LKM-like", is given as "anti-LKM" pattern after a confirmatory result on kidney tissue) to support the diagnosis of autoimmune hepatitis types 1 and 2
- Kidney (rat): Automated positive/negative classification for AMA, specific for primary biliary cholangitis, and identification of anti-LKM-like patterns ("LKM-like", is given as "anti-LKM" pattern after a confirmatory result on liver tissue; suspected autoimmune hepatitis type 2)
- Stomach (rat): Automated positive/negative classification for ASMA

Diagnostics of autoimmune gluten-sensitive enteropathy (coeliac disease) .

- Liver (monkey) IgA: Automated positive/negative classification for antibodies against endomysium (filamentous linings of the intralobular sinusoids) to support the diagnosis of gluten-sensitive enteropathy
- **Oesophagus (monkey) IgA:** Automated positive/negative classification for antibodies against endomysium (lamina muscularis) to support the diagnosis of gluten-sensitive enteropathy



Find out more at <u>www.euroimmun.com</u> or contact us directly: <u>www.euroimmun.com/contact</u>

Regulatory status of the products must be verified for the user's individual jurisdiction. Please contact your country representative for product availability and information.



